
# Poulan PRO



**REPAIR PARTS MANUAL** 

**MODEL:** 

**PB23H48YT** 

**LAWN TRACTOR** 

Α

WARNING:

READ THIS MANUAL AND FOLLOW ALL WARNINGS AND SAFETY INSTRUCTIONS. FAILURE TO DO SO CAN RESULT IN SERIOUS INJURY.

**ALWAYS WEAR EYE PROTECTION DURING OPERATION** 

Visit our website: www.poulan-pro.com

## **HOW TO USE THIS MANUAL**

This manual is designed to provide the customer with a means to identify the parts on his/her tractor when ordering repair parts. The illustrations may or may not represent the actual assemblies; therefore, it is not recommended to use this manual as a guide to assemble or disassemble the tractor. Some hardware and parts are drawn larger in order to more readily identify them.

Each tractor has its own model number.

The model number for your tractor can be found on the fender under the seat.


When ordering parts, always give the following information:

- Product "Tractor"
- MODEL NUMBER "PB23H48YT (96042010900)"
- Part Number
- Part Description


## TABLE OF CONTENTS

SCHEMATIC	3
ELECTRICAL	4-5
CHASSIS	6-7
DRIVE	8-9
ENGINE	10-11
STEERING	12-13
SEAT	14
DECALS	15
MOWER DECK	16-17
MOWER LIFT	18
WARRANTV	10

TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 **SCHEMATIC** BATTERY SOLENOID STARTER  $\underline{\mathbf{M}}$ FUSE AMMETER BLACK (OPTIONAL) ELECTRIC CLUTCH WHITE PTO SWITCH WHITE (DISENGAGED) H WHITE GRAY CLUTCH/BRAKE D RED (PEDAL UP) REVERSE SWITCH (NOT IN REVERSE) BLACK BLACK BLACK SEAT SWITCH (NOT OCCUPIED) BLACK GRAY <u> 6</u> JUNCTION CONNECTOR SHORTING CONNECTOR CHASSIS HARNESS [C [F ]H SPARK
PLUGS GAP
(2 PLUGS ON
TWIN CYL. ENGINES) IGNITION UNIT B E G (OPTIONAL) HOUR BLACK BLUE METER FUEL BLACK 12V PTO SWITCH LINE (MATING SIDE) POWER OUTLET (OPTIONAL) CHARGING SYSTEM OUTPUT -9 - 1 6 AMP DC @ 3600 RPM FUEL SHUT-OFF SOLENOID (IF EQUIPPED) REGULATOR STATOR 28 VOLTS AC @ 3600 RPM (REGULATOR DISCONNECTED) LIGHT SWITCH



TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 ELECTRICAL




# TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 ELECTRICAL

KEY NO.	PART NO.	DESCRIPTION
1	163465	Battery
2	74760412	Bolt Hex Head 1/4-20 x 3/4
8	186491	Box Battery
16	176138	Switch Interlock Push-In
21	183759	Harness Socket Light w/4152J
22	4152J	Bulb Light
24	400253	Cable Battery
25	412894	Cable Starter
	175158	Fuse
27	73510400	Nut Keps Hex 1/4-20 unc
28	145491	Cable, Ground
29		Switch, Seat
30		Switch, Ign
33		Key/Chain
34	110712X	Switch Light / Reset
40		Harness Ign. Dash
	17720408	Screw Thd Cut 1/4-20 x 1/2
42		Cover, Terminal
43		Solenoid
46		Gauge Hourmeter
50		Switch PTO
55		Screw Thdrol 5/16-18 x 3/4 TYTT
71	194276	Harness Ign.
79		Socket Asm Bulb Twistlock
90		Cover Terminal Battery
91		Strap Battery Mount Front
	17670412	Screw Hexwsh Thdrol 1/4-20 x 3/4
	19091416	Washer 9/32 x 7/8 x 16 Ga.
	404454	Harness Pigtail
105	407568	Switch Reverse TT Pedal Control

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 CHASSIS




# TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 CHASSIS

KEY NO.	PART NO.	DESCRIPTION
2 5 14 15 18 25 34 36 37 52 68 130 137 138 150 151 162 165 175 176 177 180 181 194 196 206 213 217 218 228 233 235	194263 199649X428 425404X421 188264X599 430395X428 188263X599 196125 17060512 414878X421 73680500 17490508 416358 184921 193224X428 431632 407807 199535 193229X428 142432 196826 193243 400776 195227 195457 193102X428 193057 74520520 17000512 416500	DESCRIPTION  Drawbar Dash Hood Lens Grille LH Grille Lens Grille RH Plate Engine Screw 5/16-18 x 3/4 Fender Nut Lock 5/16-18 Screw THDROL 5/16-18 x 1/2 Screw #10 x 0.750 BOS Thread Bumper Hood Cupholder Duct Heat Hood Bracket Pivot Shield Browning/Debris Window Fuel Screw Hex Wsh Hi-Lo 1/4 x 1/2 unc Bracket Support Tank Crossmember Screw 10-24 x 5/8 Wshd Qdrx Bushing Steering Chassis Bushing Mtg. Fender Crgo. Dash Lower Bolt 5/16-18 x 1-1/4 Screw 5/16-18 x 3/4 Insert Reflective RH Nut Lock Hex Flange 5/16-18 Console Asm. Deck Lift Skirt Side RH Skirt Side LH Bolt 5/16-18 x 3/4 Rod Pivot Chassis X-Piece Hood Stop Stud Fastener Bolt Shoulder Spacer Fender Nut Center lock 5/16-18 unc Screw Hex Washead 1/4-20 x 3/8 Insert Reflective LH

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm


TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 DRIVE



# TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 DRIVE

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 15 17 26 29 33 35 42 49 50 51 52 56 64 73 80 92 99 116 125 143 153 159 160 161 163 166 167	123583X 19131316 413678 199679 403806 12000001 197722 8883R 72110614 194327 73900600 194326 130969 197865 74490544 410024 74760520 415742 73900500 17000512 17490508 4497H 76020412 169484 105709X 401034 429164 405257	Transaxle, Tufftorq K46BT (Order Parts from Transaxle Manufacturer) Key Washer 13/32 x 13/16 x 16 Ga. Spring, Brake Spring Return Cruise Rod, Brake Ring E Rod, Brake, Park Cover, Foot Pedal Bolt Pulley Idler Flat Lock Nut 3/8-16 Idler V-Groove 910" Offset V-Belt, Drive Shaft Asm. Pedal Brake Control Bolt Hex 5/16-18 x 3.75 Strap Torque Bolt Fin Hex 5/16-18 unc x 1.25 Rod Spring Bypass Nut Lock Hex Flange 5/16-18 Screw 5/16-18 x 3/4 Screw 5/16-18 x 1/2 Retainer Spring Pin Cotter 1/8 x 3/4 Retainer Clip Spring, Return, Clutch Rod Pedal Control Nut Push .625 Latch Brake Parking	171 183 184 185 186 187 188 189 190 196 197 205 206 207 208 209 210 211 213 214 215 221 222 225 226 230	72110616 137057 198403X505 72110622 194321 19133210 194323 194317 194318 17000616 195804 121748X 197867 197868 197869 400769 400980 120183X 400799X428 421263 197301X428 196131 403187 79212010 403319 401564 188967	Bolt Spacer Axle Handle Parking Brake Bolt Spacer Retainer Washer Link Clutch Ground Drive Bellcrank Ground Drive Keeper Bellcrank Ground Drive Screw 3/8-16 x 1 Link Clutch Anti-Rotation Washer 25/32 x 1-5/8 x 16 Ga. Bracket Mount Latch Cruise Latch Control Cruise Gear Sector Control Cruise Rod Control Cruise Rockr Asm. Pdeal Control Bearing Nylon Knob control Cruise Pad Pedal Forward Pad Pedal Reverse Bracket Pulley Idler Retainer Spring Clip Handle Washer 21/32 x 1-1/4 10 Ga. Keeper Belt Transaxle Bracket Mount Torque Washer Harden .793 x 1.637 x 060
170	194322	Keeper Belt Centerspan		1 inch = 25.4	ł mm

# TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 ENGINE



## TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 ENGINE

KEY	PART	
NO.	NO.	DESCRIPTION
1		Engine Briggs Model No. 445577-1187-B1
2	149723	Muffler
9	194320	Keeper Belt Engine
11	400008	Clutch Electric
12	405097	Pulley Engine
15		Tank Fuel 3.0
	430218	Cap Asm
	421473X428	Control Throttle
	416358	Screw #10 x 0.750 BOS Thread
	401135	Fuel Line
	137180	Spark Arrester Kit
	123487X	Clamp Hose
	126197X	Washer 1-1/2 x 15-32 x .250
	10040700	Washer Lock 7/16
	73510400	Nut Keps Hex 1/4-20 unc
	146629	Shield Heat Muffler
69		Gasket
	159955	Exhaust Tube RH
	160589	Exhaust Tube LH
79 81	183906	Screw Socket Head 5/16-18 x 1
82		Tube Drain Oil Easy Valve Drain Oil
	17060620	Screw 3/8-16 x 1-1/4
	173937	Bolt Hex 7/16-20 x 4 x 5 Ga1.5
	171877	Bolt 5/16-18 x 3/4
	17000616	Screw 3/8-16 x 1
91	187495	Bushing
91	101 433	Dusting

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm


For engine service and replacement parts, call the toll free number for your engine manufacturer listed below:

Briggs & Stratton 1-800-233-3723

#### **Engine Power Rating Information**

The gross power rating for individual gas engine models is labeled in accordance with SAE (Society of Automotive Engineers) code J1940 (Small Engine Power & Torque Rating Procedure), and rating performance has been obtained and corrected in accordance with SAE J1995 (Revision 2002-05). Torque values are derived at 3060 RPM; horsepower values are derived at 3600 RPM. Actual gross engine power will be lower and is affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the gas engine will not develop the rated gross power when used in a given piece of power equipment (actual "on-site" or net power). This difference is due to a variety of factors including, but not limited to, accessories (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. Due to manufacturing and capacity limitations, Briggs & Stratton may substitute an engine of higher rated power for this Series engine.

TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 STEERING ASSEMBLY




# TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 STEERING ASSEMBLY

KEY NO.	PART NO.	DESCRIPTION
1	414851X421	Wheel, Steering
2	195968	Axle Asm., Front
4	403087	Spindle Asm., LH
5	403088	Spindle Asm., RH
6	6266H	Bearing, Race Thrust Harden
7	121748X	Washer 25/32 x 1-5/8 x 16 Ga.
8	12000029	Ring, Klip #T5304-75
9	121232X	Cap, Spindle
13	121749X	Washer 25/32 x 1-1/4 x 16 Ga.
14	10040600	Washer, Lock Hvy Hlcl Spr 3/8
15	73540600	Nut, Crown Lock 3/8-24 unf
16	408219	Shaft Steering
19	194729	Plate Steering
20	199743X428	Boot, Steering
21	186737	Adapter, Wheel Steering
22	420537	Supt, Strg. Lower
26	414854X421	Insert, Wheel Steering
28	17000612	Screw 3/8-16 x 3/4
35	194732	Gear, Sector Plate
45	19183812	Washer 9/16 ID x 2-3/8 OD 12 GZIN
51	73940800	Nut Hex Jam Toplock 1/2-20 unf
53	188967	WasherHardened.793x1.637x.060
57	197246	Bracket Upstop
58	194747	Bolt Shoulder Sector Pivot CFM
59	194748	Washer Thrust Sector Steering
60	73971000	Nut Flange Lock 5/8-11
61	194740	Draglink LH
62	194741	Draglink, RH
63	17000512	Screw 5/16-18 x 3/4
64	199849	Retainer Clip Spring Steering
66	71020748	Bolt Hex Fghd 7/16-14 x 3 Serr
67	194737	Bushing PM Front Axle
68	73900700	Nut Lock Flange 7/16-14 Gr. 5
69	199162	Washer 1.5 x .505 x .118
70	196197	Bracket Deck Susp. Front


**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm

# TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 SEAT ASSEMBLY




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	406623	Seat	37	73800500	Nut, Lock 5/16-18 unc
2	180166	Bracket Pivot Fender	40	197661	Handle Slide Seat
3	140675	Strap, Asm Fender	41	198200	Spring Latch Seat
6	73800600	Nut, Lock w/lns. 3/8-16 unc	43	74760612	Bolt Fin Hex 3/8-16 unc x 3/4
7	124181X	Spring, Seat Cprsn	44	19133812	Washer 13/32 x 2-3/8 x 12Ga.
8	171877	Bolt 5/16-18 uncx 3/4 w/Sems			
10	196977	Pan, Seat	NOT		
21	171852	Bolt, Shoulder 5/16-18	NOTI	:: All compone .1 inch = 25	ent dimensions given in U.S. inches 4 mm

TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 DECALS



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	430113	Decal, Hood	11	426685	Decal, Replacement
2	430255	Decal, Fender	13	430111	Decal, Steering Wheel
3	430343	Decal, Side Panel	14	178455	Decal, Mower Caution
4	430112	Decal, Fender		400981X428	Pad, Footrest, RH
5	408841	Decal, Engine		166960	Decal, Bypass
6	411658	Decal, Fender		193226X428	Pad, Footrest, LH
7	198785	Decal, Mower Schematic			
8	170563	Decal, Warning			
9	145005	Decal, Battery Dnge/Poi			


#### **WHEELS AND TIRES**



KEY	PART	
NO.	NO.	DESCRIPTION
1	59192	Cap, Valve, Tire
2	65139	Stem, Valve
3	106732X	Rim Assembly, Front
4	59904	Tube, Front
5	106222X	Tire, Front
6	278H	Fitting, Grease
7	9040H	Bearing, Flange
8	104757X428	Cap, Axle (Front Wheel Only)
9	138468	Tire, Rear
10	7152J	Tube, Rear
11	106108X	Rim Assembly, Rear
	144334	Sealant, Tire (10 oz. Tube)

**NOTE:** All component dimensions given in U.S. inches 1 inch = 25.4 mm


TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 MOWER DECK



# TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 MOWER DECK

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	197216	Deck Weldment Mower	48 49	193197 73900600	Pulley Idler Nut, Lock Flg. 3/8-16 unc
2	178345	Plug Hole Mandrel	49 50	17490636	Screw TT 3/8-16 x 2-1/4
6	197248	Cover Mandrel LH	52	197379	Pulley Idler Clutching
7 8	199102	Cover Mandrel RH	54	72110612	Bolt Carr. Sh 3/8-16 x 1-1/2 Gr. 5
o 11	193003 180054	Blot/Washer Asm 7/16-20 unf	97	178515	Washer Hardened
	173921	Blade High Lift Blade Mulching	98	196105	Spring Drive
12	404851	Rod Anti-Sway	113	72110508	Bolt Rdhd Sqnk 5/16-18 x 3/4
13	187291	Shaft Asm. Mandrel	114	197451	Rod Tension Relief
14	187281	Housing, Mandrel	116	193406	Bolt, Shoulder
15	110485X	Bearing, Ball, Mandrel	117	174873	Gauge Wheel
16	19131312	Washer 13/32 x 13/16 x 12 Ga.	120	19132012	Washer 13/32 x 1-1/4 x 12 Ga.
17	72110505	Bolt 5/16-18 x 5/8	122	187557	Bushing Tension Relief
18	72140505	Bolt RdHd 5/16-18 unc x 5/8	185	73900700	Nut Lock Flange 7/16-14 Gr. 5
19	194208	Pin Cotter 5/16 Bow Tie Lock	187	195161	Stud Fastener w/"D" Anti-Rotation
20	174378	Baffle Vortex	188	73900500	Nut Lock Hex Flange
21	73680500	Nut, Crownlock 5/16-18 unc	189	195185	Arm Susp. Mower Rear
22	174493	Stripper Mandrel	190	196539	Bolt Shoulder
24	105304X	Cap Sleeve	194	72140716	Bolt Carr Sqnk 7/16-24 x 2
25	178102	Spring, Torsion	241	152927	Screw
26	110452X	Nut, Push	242	415598	Port Washout
27	180655X428	Deflector Shield		416405	Cooupling Quick Connect
29	131491	Rod, Hinge		187292	Mandrel Assembly (Includes hous-
30	173984	Screw, Thdroll Washer Head			ing, shaft assembly, and bearing
31	187690	Spacer Mandrel			only - pulley/nut/washer and blade bolt/washers not included)
32	153532	Pulley, Mandrel		427105	Replacement Mower, Complete
33	400234	Nut, Flg. Top Lock		427 103	Replacement Mowel, Complete
39	197380	Pulley, Idler			
43	196065	Arm, Idler	NOT	. All company	ent dimensions given in U.S. inches
46 47	137729 197242	Screw, Thdroll. 1/4-20 x 5/8 Belt Deck Drive	NOIL	1 inch = 25.	
47	191242	Dell Deck Dilve		1 111011 – 23.	T 111111

TRACTOR - MODEL NO. PB23H48YT (96042010900), PRODUCT NO. 960 42 01-09 MOWER LIFT



K N
2
3
7
1
8
8
8
9
8

### LIMITED WARRANTY

The Manufacturer warrants to the original consumer purchaser that this product as manufactured is free from defects in materials and workmanship. For a period of two (2) years from date of purchase by the original consumer purchaser, we will repair or replace, at our option, without charge for parts or labor incurred in replacing parts, any part which we find to be defective due to materials or workmanship. This Warranty is subject to the following limitations and exclusions.

- This warranty does not apply to the engine, transaxle/transmission components, battery (except as noted below) or components parts thereof. Please refer to the applicable manufacturer's warranty on these items.
- Transportation charges for the movement of any power equipment unit or attachment are the responsibility of the purchaser. Transportation charges for any parts submitted for replacement under this warranty must be paid by the purchaser unless such return is requested by the manufacturer.
- 3. Battery Warranty: On products equipped with a Battery, we will replace, without charge to you, any battery which we find to be defective in manufacture, during the first ninety (90) days of ownership. After ninety (90) days, we will exchange the Battery, charging you 1/12 of the price of a new Battery for each full month from the date of the original sale. Battery must be maintained in accordance with the instructions furnished.
- The Warranty period for any products used for rental or commercial purposes is limited to 90 days from the date of original purchase.
- 5. This Warranty applies only to products which have been properly assembled, adjusted, operated, and maintained in accordance with the instructions furnished. This Warranty does not apply to any product which has been subjected to alteration, misuse, abuse, improper assembly or installation, delivery damage, or to normal wear of the product.
- 6. Exclusions: Excluded from this Warranty are belts, blades, blade adapters, normal wear, normal adjustments, standard hardware and normal maintenance.
- 7. In the event you have a claim under this Warranty, you must return the product to an authorized service dealer.

Should you have any unanswered questions concerning this Warranty, please contact:

HOP Outdoor Products Customer Service Dept. 1030 Stevens Creek Road Augusta, GA 30907 USA

HOP 5855 Terry Fox Way

In Canada contact:

Mississauga, Ontario L5V 3E4

giving the model number, serial number and date of purchase of your product and the name and address of the authorized dealer from whom it was purchased.

THIS WARRANTY DOES NOT APPLY TO INCIDENTAL OR CONSEQUENTIAL DAMAGES AND ANY IMPLIED WARRANTIES ARE LIMITED TO THE SAME TIME PERIODS STATED HEREIN FOR OUR EXPRESSED WARRANTIES. Some areas do not allow the limitation of consequential damages or limitations of how long an implied Warranty may last, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may have other rights which vary from locale to locale.

This is a limited Warranty within the meaning of that term as defined in the Magnuson-Moss Act of 1975.

## **Poulan PRO**