


Set AccuCut Li Art. 9852-33

EN Operation Instructions Grass Shear / Shrub Shear



GARDENA Set AccuCut Li Grass Shear / Shrub Shear

1. SAFETY	4
2. INSTALLATION	7
3. OPERATION	8
4. MAINTENANCE	8
5. STORAGE	8
6. TROUBLESHOOTING	9
7. TECHNICAL DATA	9
8. SERVICE / WARRANTY1	0

Original instructions.

This product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the product by a person responsible for their safety. Children should be supervised to ensure that they do not play with the product.

1. SAFETY

IMPORTANT!

Read the operator's manual carefully before use and keep for future reference.

If not used properly this product can be dangerous. The warnings and safety instructions must be followed to ensure reasonable safety and efficiency in using this product. The operator is responsible for following the warnings and instructions in this manual and on the product. Never use the product unless the guards provided by the manufacturer are in the correct position.

Symbols on the product:



Read operator's manual.



DANGER! Cutting tool continues to run after switching off!



Danger – Keep hands away from blade.



DANGER! Keep bystanders away.



Do not expose to rain.

Intended use for the Grass Shear:

The GARDENA Grass Shears are suitable for cutting lawn edges, smaller grass areas and for precise shaping of shrubs, in particular boxwood, for the private home or hobby garden.

WARNING! Risk of injury! The product must not be used for chopping up material for composting purposes.

Intended use for the Shrub Shear:

The GARDENA Shrub Shear is intended for cutting individual bushes, shrubs and climbing plants in private domestic and hobby gardens.

WARNING! Risk of injury! The product must not be used for cutting lawns/lawn edges or for chopping up material for composting purposes.

General safety warnings for the Grass Shear:



WARNING! Read all safety warnings and all instructions. Failure to follow the warnings and instructions may result in electric shock, fire and/or serious injury.

Save all warnings and instructions for future reference.

Safe operation practices

1) Training

- a) Read the instructions carefully. Be familiar with the controls and the correct use of the machine.
- b) Never allow children or people unfamiliar with these instructions to use the machine. Local regulations can restrict the age of the operator.
- c) Keep in mind that the operator or user is responsible for accidents or hazards occurring to other people or their property.

2) Preparation

- a) Before use, check the supply and extension cord for signs of damage or aging. If the cord becomes damaged during use, disconnect the cord from the supply immediately. DO NOT TOUCH THE CORD BEFORE DISCONNECTING THE SUPPLY. Do not use the machine if the cord is damaged or worn.
- b) Before use, always visually inspect the machine for damaged, missing or misplaced guards or shields.
- c) Never operate the machine while people, especially children, or pets are nearby.

3) Operation

 Keep supply and extension cords away from cutting means.

- b) Wear eye protection and stout shoes at all times while operating the machine.
- c) Avoid using the machine in bad weather conditions especially when there is a risk of lightning.
- d) Use the machine only in daylight or good artificial light.
- e) Never operate the machine with damaged guards or shields or without guards or shields in place.
- Switch on the motor only when the hands and feet are away from the cutting means.
- g) Always disconnect the machine from the power supply (i.e. remove the plug from the mains remove the disabling device or removable battery)
 - whenever the machine is left unattended,
 - before clearing a blockage,
 - before checking, cleaning or working on the machine,
 - after striking a foreign object,
 - whenever the machine starts vibrating abnormally.
- h) Take care against injury to feet and hands from the cutting means.
- Always ensure that the ventilation openings are kept clear of debris.

4) Maintenance and storage

- a) Disconnect the machine from the power supply (i.e. remove the plug from the mains remove the disabling device or removable battery) before carrying out maintenance or cleaning work.
- b) Use only the manufacturer's recommended replacement parts and accessories.
- c) Inspect and maintain the machine regularly. Have the machine repaired only by an authorized repairer.
- d) When not in use, store the machine out of the reach of children.

General safety warnings for the Shrub Shear:

WARNING! Read all safety warnings and all instructions.

Failure to follow the warnings and instructions may result in electric shock, fire and/or serious injury.

Save all warnings and instructions for future reference. The term "power tool" in the warnings refers to your mains operated (corded) power tool or battery operated (cordless) power tool.

1) Work area safety

- Keep work area clean and well lit. Cluttered or dark areas invite accidents.
- b) Do not operate power tools in explosive atmospheres, such as in the presence of flammable liquids, gases or dust. Power tools create sparks which may ignite the dust or fumes.
- c) Keep children and bystanders away while operating a power tool. Distractions can cause you to lose control.

2) Electrical safety

a) Power tool plugs must match the outlet. Never modify the plug in any way. Do not use any adaptor plugs with earthed (grounded) power tools. Unmodified plugs and matching outlets will reduce risk of electric shock.

- b) Avoid body contact with earthed or grounded surfaces, such as pipes, radiators, ranges and refrigerators. There is an increased risk of electric shock if your body is earthed or grounded.
- c) Do not expose power tools to rain or wet conditions. Water entering a power tool will increase the risk of electric shock.
- d) Do not abuse the cord. Never use the cord for carrying, pulling or unplugging the power tool. Keep cord away from heat, oil, sharp edges or moving parts. Damaged or entangled cords increase the risk of electric shock.
- e) When operating a power tool outdoors, use an extension cord suitable for outdoor use. Use of a cord suitable for outdoor use reduces the risk of electric shock.
- f) If operating a power tool in a damp location is unavoidable, use a residual current device (RCD) protected supply.

Use of an RCD reduces the risk of electric shock.

3) Personal safety

- a) Stay alert, watch what you are doing and use common sense when operating a power tool. Do not use a power tool while you are tired or under the influence of drugs, alcohol or medication. A moment of inattention while operating power tools may result in serious personal injury.
- b) Use personal protective equipment. Always wear eye protection. Protective equipment such as dust mask, non-skid safety shoes, hard hat, or hearing protection used for appropriate conditions will reduce personal injuries.
- c) Prevent unintentional starting. Ensure the switch is in the off-position before connecting to power source and/or battery pack, picking up or carrying the tool. Carrying power tools with your finger on the switch or energising power tools that have the switch on invites accidents.
- d) Remove any adjusting key or wrench before turning the power tool on. A wrench or a key left attached to a rotating part of the power tools may result in personal injury.
- e) Do not overreach. Keep proper footing and balance at all times. This enables better control of the power tool in unexpected situations.
- f) Dress properly. Do not wear loose clothing or jewellery. Keep your hair, clothing and gloves away from moving parts. Loose clothes, jewellery or long hair can be caught in moving parts.
- g) If devices are provided for the connection of dust extraction and collection facilities, ensure these are connected and properly used. Use of dust collection can reduce dust-related hazards.

4) Power tool use and care

a) Do not force the power tool. Use the correct power tool for your application. The correct power tool will do the job better and safer at the rate for which it was designed.

- b) Do not use the power tool if the switch does not turn it on and off. Any power tool that cannot be controlled with the switch is dangerous and must be repaired.
- c) Disconnect the plug from the power source and/or the battery pack from the power tool before making any adjustments, changing accessories, or storing power tools. Such preventive safety measures reduce the risk of starting the power tool accidentally.
- d) Store idle power tools out of the reach of children and do not allow persons unfamiliar with the power tool or these instructions to operate the power tool. Power tools are dangerous in the hands of untrained users.
- e) Maintain power tools. Check for misalignment or binding of moving parts, breakage of parts and any other condition that may affect the power tool's operation. If damaged, have the power tool repaired before use. Many accidents are caused by poorly maintained power tools.
- f) Keep cutting tools sharp and clean. Properly maintained cutting tools with sharp cutting edges are less likely to bind and are easier to control.
- g) Use the power tool, accessories and tool bits etc. in accordance with these instructions, taking into account the working conditions and the work to be performed.

Use of the power tool for operations different from those intended could result in a hazardous situation.

5) Battery tool use and care

- a) Recharge only with the charger specified by the manufacturer. A charger that is suitable for one type of battery pack may create a risk of fire when used with another battery pack.
- b) Use power tools only with specifically designated battery packs. Use of any other battery packs may create a risk of injury and fire.
- c) When battery pack is not in use, keep it away from other metal objects, like paper clips, coins, keys, nails, screws or other small metal objects, that can make a connection from one terminal to another. Shorting the battery terminals together may cause burns or a fire.
- d) Under abusive conditions, liquid may be ejected from the battery; avoid contact. If contact accidentally occurs, flush with water. If liquid contacts eyes, additionally seek medical help. Liquid ejected from the battery may cause irritation or burns.

6) Service

a) Have your power tool serviced by a qualified repair person using only identical replacement parts. This will ensure that the safety of the power tool is maintained.

Hedge trimmer safety warnings:

 Keep all parts of the body away from the cutter blade. Do not remove cut material or hold material to be cut when blades are moving. Make sure the switch is off when clearing jammed material. A moment of inattention while operating the hedge trimmer may result in serious personal injury.

• Carry the hedge trimmer by the handle with the cutter blade stopped. When transporting or storing the hedge trimmer always fit the cutting device cover.

Proper handling of the hedge trimmer will reduce possible personal injury from the cutter blades.

 Hold the power tool by insulated gripping surfaces only, because the cutter blade may contact hidden wiring. Cutter blades contacting a "live" wire may make exposed metal parts of the power tool "live" and could give the operator an electric shock.

Additional safety warnings

DANGER! Small parts can be easily swallowed. There is also a risk that the polybag can suffocate toddlers. Keep toddlers away when you assemble the product.

Work area safety

Only use the product in the manner and for the functions described in these instructions.

The operator or user is responsible for accidents or hazards occurring to other people or their property.

Do not use the product when a thunderstorm is approaching.

Electrical safety:

Before use, examine cable for damage, replace it if there are signs of damage or ageing.

Do not use the product if the electric cables are damaged or worn.

Immediately disconnect from the mains electricity supply if the cable is cut, or the insulation is damaged. Do not touch the electric cable until the electrical supply has been disconnected.

Always disconnect the mains cable before disconnecting any plug, cable connector or extension cable.

Always wind cable carefully, avoiding kinking.

Use only on AC mains supply voltage shown on the product rating label.

Do not connect an earth to any part of the product.

DANGER! This product makes an electromagnetic field while it operates. This field may under some conditions interfere with active or passive medical implants. To decrease the risk of conditions that can possibly injure or kill, we recommend persons with medical implants to speak with their physician and the medical implant manufacturer before you operate the product.

Cables

Use only permitted extension cables as per HD 516.

→ Ask your electrical specialist.

Personal safety

Always wear suitable clothing, protective gloves, and stout shoes.

Thoroughly inspect the area where the product is to be used and remove all wires and other foreign objects.

Before using the product and after any impact, check for signs of wear or damage and repair as necessary.

If the product can no longer switched off in the event of a defect, place the product on a solid surface and monitor until the battery is empty. Send the defective product to the GARDENA Service Centre.

Never attempt to use an incomplete product or one with an unauthorized modification.

Product use and care

Know how to stop the product quickly in an emergency. Do not hold the product by the guard.

Do not use the product if the protection equipments (protective cover, quick blade-stop) are damaged.

Do not use ladders whilst operating the product.

Remove the battery:

- before leaving the product unattended for any period;
- before clearing a blockage;
- before checking, cleaning or working on the product;
- if you hit an object. Do not use your product until you are sure that the entire product is in a safe operating condition;
- if the product starts to vibrate abnormally. Check immediately. Excessive vibration can cause injury.
- before passing to another person.

Only use the product between 0 – 40 $^{\circ}$ C.

Battery safety

The battery to be charged must be placed on a non-flammable, heat resistant and nonconductive surface while charging.

Keep corrosive, flammable and easily combustible objects clear of the battery charger and the battery.

Do not cover the battery charger and the battery while charging.

Unplug the battery charger immediately in the event of smoke formation or fire.

Only use the original GARDENA Battery Charger for charging. The use of other battery chargers may damage the batteries irreparably and even cause a fire.

RISK OF EXPLOSION!

→ Protect product from heat and fire. Do not leave on radiators or expose to strong sunshine for long periods.

Do not use the battery charger outdoors.

Protect the battery charger from damp or wet areas.

Only use the battery in an ambient temperature between -10 °C and + 45 °C.

A non-functioning battery must be disposed of correctly. It may not be sent via post. For further details, please contact your local disposal companies.

The battery charger should be checked regularly for signs of damage or ageing (brittleness) and may only be used if it is in perfect condition.

The charger unit provided may only be used to charge the rechargeable batteries supplied with the product.

Non-rechargeable batteries must not be charged with this battery charger (danger of fire).

The product must not be operated during charging.

After charging, disconnect the charger from the mains and from the battery.

Only charge battery between 10 - 45 °C.

After heavy duty service allow battery to cool down first.

Maintenance and storage



RISK OF INJURY!

Do not touch blades.

→ When finishing or interrupting work push up protection cover.

Keep all nuts, bolts and screws secure to be sure the product is in safe working condition.

The product must not be stored over 35 °C or under direct exposure to sunlight.

Do not store the product in places with static electricity.

2. INSTALLATION



DANGER! Risk of injury! Cut injury when the product starts accidentally.

→ Slide the protective cover ① over the blade ② before you do installation [Fig. I1].

To charge the battery [Fig. I2]:

The battery should be fully charged before using for the first time. Charging time (see 7. TECHNICAL DATA).

The lithium-ion battery can be re-charged in any state of charge,

and the charging process can be interrupted at any time without damaging the battery (no memory effect).

The product cannot be started during charging.



CAUTION!

Incorrect mains voltage damages batteries and the battery charger.

 \rightarrow Ensure the correct mains voltage.

- 1. Connect charging cable 3 to the jack 4 of the Battery Shear.
- 2. Connect battery charger (5) to an electrical socket.

During charging, the jack 3 flashes green. The battery is charged.

When the jack 4 lights up green, the battery is fully charged.

Check the charge status regularly while charging.

 First pull the charging cable (3) out of the jack (4) and then unplug the battery charger (5) from the electrical socket. When there is a sharp fall in the power of the battery, the product switches off and the battery needs to be charged.

3. OPERATION

DANGER! Risk of injury! Risk of injury if the product does not stop when you release the start button.

→ Do not bypass the safety devices or switches. For example do not attach the starting lockout ⑥ or start button ⑦ to the handle. [Fig. O1].

To start the Shear [Fig. O1/O2]:

To start:

The product is fitted with a starting lock-out (6) to prevent the product from being turned on by accident.

- 1. Clear the area to be cut of stones and other solid objects.
- 2. Remove the protective cover (1) from the blade (2).
- Push the starting lock-out (6) forwards and push the start button (1). The product will start.
- 4. Release the starting lock-out 6.

To stop:

- 1. Release the start button 7.
- 2. Slide the protective cover (1) over the blade (2).

4. MAINTENANCE

DANGER! Risk of injury!

Cut injury when the product starts accidentally.

→ Slide the protective cover ① over the blade ② before you do maintenance [Fig. M1].

To clean the Shear:

DANGER! ELECTRIC SHOCK!

Risk of injury and risk of damage to the product.

→ Do not clean the product with water or with a water jet (in particular high-pressure water jet).

- To increase operating time, the product should be cleaned and sprayed after each use.
- 1. Clean the product with a damp cloth.
- Lubricate the blade (2) with a low viscosity oil (e.g. GARDENA spray-oil Art. 2366). Avoid contact with the plastic parts.

5. STORAGE

To put into storage:

The product must be stored away from children.

- 1. Charge the battery. This increases the life of the battery.
- 2. Clean the product (see 4. MAINTENANCE) and slide the protective cover ① over the blade ② [Fig. S1].
- 3. Stow the product in a dry area and in a frost-free place before the first frost arrives.

Disposal:

(in accordance with RL2012/19/EC)



The product must not be disposed of to normal household waste. It must be disposed of in line with local environmental regulations.

IMPORTANT!

Dispose of the product through or via your municipal recycling collection centre.

Disposal of the battery:



The GARDENA battery contains lithium-ion cells that should not be disposed of with normal household waste at the end of its life.

IMPORTANT!

Dispose of the batteries through or via your municipal recycling collection centre.

[Fig. S2]:

- 1. Discharge the lithium-ion cells (8) completely.
- 2. Remove lithium-ion cells (8) from the product
- 3. Dispose of lithium-ion cells (8) properly.

6. TROUBLESHOOTING



DANGER! Risk of injury!

Cut injury when the product starts accidentally.

→ Slide the protective cover ① over the blade ② before you troubleshoot the product [Fig. T1].

To change the grass shear blade [Fig. T2]:

Only an original GARDENA grass shear blade is allowed to be used. A new blade can be ordered by the GARDENA Service.

- 1. Pull the flap (9) upwards and slide the lid (10) downwards.
- 2. Remove the blade 2.
- 3. If necessary clean the transmission chamber and lubricate the excentric drive (1) with some acid-free grease (Vaseline).
- 4. Turn the excentric drive (1) downwards.
- 5. Pull the crank (2) on the back side of the blade (2) in the middle.
- 6. Place the new blade ② on the motor unit in such a way that the excentric drive ⑪ is inserted in the crank ⑫.
- 7. Slide the lid 10 upwards until it makes a click.

To change the shrub shear blade [Fig. T3]:

Only an original GARDENA shrub shear blade is allowed to be used. A new blade can be ordered by the GARDENA Service.

- 1. Pull the flap (9) upwards and slide the lid (10) downwards.
- 2. Remove the blade 2.
- 3. If necessary clean the transmission chamber and lubricate the excentric drive (1) with some acid-free grease (Vaseline).
- 4. Turn the excentric drive (1) downwards.
- 5. Pull the crank (2) on the back side of the blade (2) downwards.
- 6. Slide the ring (1) in the middle of the crank (1).
- 7. Place the new blade (2) on the motor unit in such a way that the excentric drive (1) is inserted in the ring (1) of the crank (2).
- 8. Slide the lid (11) upwards until it makes a click.

Problem	Possible Cause	Remedy	
The jack flashes red while charging	Allowed battery temperature was exceeded.	→ Let the battery cool down. Restart the charging.	
Runtime too low	Blade soiled.	→ Clean and lubricate scissor blade in accordance with the maintenance instructions.	
Product does not cut cleanly	Blade blunt or damaged.	→ Change the blade (see To change the blade).	



NOTE: For any other malfunctions please contact the GARDENA service department. Repairs must only be done by GARDENA service departments or specialist dealers approved by GARDENA.

7. TECHNICAL DATA

For Grass Shear / Shrub Shear	Unit	Value (grass shear)	Value (shrub shear)
Battery capacity	Ah	2	2
Battery charging time (80 % / 100 %)	h	3.5 / 4.5	3.5 / 4.5
Battery charger			
Mains voltage	V	100 – 240	100 – 240
Mains frequency	Hz	50 - 60	50 - 60
Rated output current	mA	500	500
Max. output voltage	V (DC)	5.5	5.5
Width of blade	cm	8	-
Length of blade	cm	_	12

For Grass Shear / Shrub Shear	Unit	Value (grass shear)	Value (shrub shear)
Weight	g	approx. 560	approx. 620
Sound pressure level L _{PA} Uncertainty k _{PA}	dB (A)	76 ³⁾ -	70 ¹⁾ 3
Sound power level L _{wA} ² : measured / guaranteed	dB (A)	_	79/81
Hand/arm vibration a_{vhw} Uncertainty k_a	m/s²	3.7 ³⁾ 1.5	2.9 ¹⁾ 1.5

Measuring process complying with ¹⁾ EN 60745-2-15 ²⁾ RL 2000/14/EC ³⁾ EN 50636-2-94

Battery charger:

9850-00.610.00 EC. 9850-28.610.00 UK



NOTE: The stated vibration emission value has been measured according to a standardized test procedure and can be used for comparison of one electric power tool with another. It can also be used for preliminary evaluation of exposure. The vibration emission value can vary during actual use of the electric power tool.

8. SERVICE / WARRANTY

Service:

Please contact the address on the back page.

Warranty statement:

In the event of a warranty claim, no charge is levied to you for the services provided.

GARDENA Manufacturing GmbH grants a warranty for all original GARDENA new products for two years from the date of original purchase from the retailer, provided that the devices have been for private use only. This manufacturer's warranty does not apply to products acquired second hand. This warranty includes all significant defects of the product that can be proved to be material or manufacturing faults. This warranty is fulfilled by supplying a fully functional replacement product or by repairing the faulty product sent to us free of charge; we reserve the right to choose between these options. This service is subject to the following provisions:

- The product has been used for its intended purpose as per the recommendations in the operating instructions.
- Neither the purchaser nor a third party has attempted to open or repair the product.
- Only Original GARDENA replacement parts and wear parts have been used for operation.

• Presentation of the receipt.

Normal wear and tear of parts and components (such as blades, blade fixing parts, turbines, light bulbs, V-belts/ toothed belts, impellers, air filters, spark plugs), visual changes, wear parts and consumables are excluded from the warranty.

This manufacturer's warranty is limited to replacement and repair of products in accordance with the abovementioned conditions. The manufacturer's warranty does not constitute an entitlement to lodge other claims against us as a manufacturer, such as for damages. This manufacturer's warranty does **not**, of course, affect statutory and contractual warranty claims against the dealer/retailer.

The manufacturer's warranty is governed by the law of the Federal Republic of Germany.

In case of a warranty claim, please return the faulty product, together with a copy of the receipt and a description of the fault, with postage paid to the service address.

Consumables:

The blade and excentric drive are consumables and are not included in the warranty.

Product liability

In accordance with the German Product Liability Act, we hereby expressly declare that we accept no liability for damage incurred from our products where said products have not been properly repaired by a GARDENA-approved service partner or where original GARDENA parts or parts authorised by GARDENA were not used.

EC Declaration of Conformity

The undersigned, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Sweden, hereby certifies that, when leaving our factory, the units indicated below are in accordance with the harmonised EU guidelines, EU standards of safety and product specific standards. This certificate becomes void if the units are modified without our approval.

Description of the product:	Grass Shear / Shrub Shear			
Product type:	Set AccuCut Li			
Article number:	9852			
EC-Directives:	Grass Shear: 2006/42/EG 2014/30/EG 2011/65/EG	Shrub Shear: 2006/42/EG 2014/30/EG 2000/14/EG 2011/65/EG	^{Charger:} 2014/35/EG 2014/30/EG 2011/65/EG	
Harmonised EN:	Grass Shear: EN 60335-1 EN 50636-2-94 EN ISO 12100	Shrub Shear: EN 60745-1 EN 60745-2-15 EN ISO 12100	Charger: EN 60335-1 EN 60335-2-29 Battery: EN 62133-2	
Deposited Documentation:	GARDENA Technical Documentation, M. Kugler, 89079 Ulm			
Conformity Assessment according to:	2000/14/EC Procedure: art. 14 Annex V			
Noise level:	measured / guaranteed 79 dB (A) / 81 dB (A)			
Year of CE marking:	2015			
Ulm, 01.07.2019 Authorised representative	Refutered Bu Reinhard Pompe	L PL		

Reinhard Pompe Vice President

Deutschland / Germany

GARDENA Manufacturing GmbH Central Service Hans-Lorenser-Straße 40 D-89079 Ulm Produktfragen: (+49) 731 490-123 Reparaturen: (+49) 731 490-290 service@gardena.com

Albania

COBALT Sh.p.k Rr. Siri Kodra 1000 Tirana

Argentina

Husqvarna Argentina S.A. Av.del Libertador 5954 Piso 11 – Torre B (C1428ARP) Buenos Aires Phone: (+54) 11 5194 5000 info.gardena@ ar.husqvarna.com

Armenia

Garden Land Ltd. 61 Tigran Mets 0005 Yerevan

Australia

Husgvarna Australia Ptv. Ltd. Locked Bag 5 Central Coast BC NSW 2252 Phone: (+61) (0) 2 4352 7400 customer.service@ husqvarna.com.au

Austria / Österreich Husqvarna Austria GmbH Industriezeile 36 4010 Linz Tel.: (+43) 732 77 01 01-485 service.gardena@ husqvarnagroup.com

Azerbaijan Firm Progress a. Aliyev Str. 26A 1052 Baku

Belgium

Husqvarna België nv/sa Gardena Division Rue Egide Van Ophem 111 1180 Uccle / Ukke Tel.: (+32) 2 720 92 12 info@gardena.be

Bosnia / Herzegovina SILK TRADE d.o.o.

Industrijska zona Bukva bb 74260 Tešani

Brazil

Husqvarna do Brasil Ltda Av. Francisco Matarazzo, 1400 - 19º andar São Paulo - SP CEP: 05001-903 Tel: 0800-112252 marketing.br.husqvarna@ husgvarna.com.br

Bulgaria

AGROLAND България АД бул. 8 Декември. №13 Офис 5 1700 Студентски град София Тел.: (+359) 24666910 info@agroland.eu

Canada / USA

GARDENA Canada Ltd. 100 Summerlea Road Brampton, Ontario L6T 4X3 Phone: (+1) 905 792 93 30 info@gardenacanada.com

Chile

Maquinarias Agroforestales Ltda. (Maga Ltda.) Santiago, Chile Avda, Chesterton # 8355 comuna Las Condes Phone: (+56) 2 202 4417 Dalton@maga.cl Zipcode: 7560330

China

Husqvarna (Shanghai) Management Co., Ltd 富世华 (上海) 管理有限公司 3F, Beng Square B, No207, Song Hong Rd., Chang Ning District, Shanghai, PRC, 200335 上海市长宁区淞虹路207号明 基广场B座3楼,邮编:200335

Colombia

Husqvarna Colombia S.A. Calle 18 No. 68 D-31, zona Industrial de Montevideo Bogotá, Cundinamarca Tel. 571 2922700 ext. 105 jairo.salazar@ husqvarna.com.co

Costa Rica

Compania Exim Euroiberoamericana S.A Los Colegios, Moravia, 200 metros al Sur del Colegio Saint Francis - San José Phone: (+506) 297 68 83 exim_euro@racsa.co.cr

Croatia Husgvarna Austria GmbH Industriezeile 36 4010 Linz

Tel.: (+43) 732 77 01 01-485 service.gardena@ husqvarnagroup.com

Cyprus Med Marketing 17 Digeni Akrita Ave P.O. Box 27017 1641 Nicosia

Czech Republic Husqvarna Česko s.r.o. Türkova 2319/5b 149 00 Praha 4 – Chodov Bezplatná infolinka: 800 100 425 servis@cz.husqvarna.com

Denmark GARDENA DANMARK Lejrvej 19, st. 3500 Værløse Tlf.: (+45) 70264770 husqvarna@husqvarna.dk www.gardena.com/dk

Dominican Republic BOSQUESA, S.R.L Carretera Santiago Licev Km. 5 ½ Esquina Copal II Santiago Dominican Republic Phone: (+809) 736-0333 joserbosquesa@claro.net.do

Ecuador

Husqvarna Ecuador S.A. Arupos E1-181 y 10 de Agosto Quito, Pichincha Tel. (+593) 22800739 francisco.iacome@ husovarna.com.ec

Estonia Husqvarna Eesti OÜ Valdeku 132 EE-11216 Tallinn info@gardena.ee

Finland Oy Husqvarna Ab

Gardena Division Lautatarhankatu 8 B/PL 3 00581 HELSINKI www.gardena.fi

France

Husqvarna France 9/11 Allée des pierres mayettes 92635 Gennevilliers Cedex France http://www.gardena.com/fr N° AZUR: 0 810 00 78 23 (Prix d'un appel local)

Georgia

Transporter LLC 8/57 Beliashvili street 0159 Tbilisi, Georgia Phone: (+995) 322 14 71 71

Great Britain Husqvarna UK Ltd Preston Road

Aycliffe Industrial Park Newton Aycliffe County Durham DL5 6UP info.gardena@ husqvarna.co.uk

Greece

Π.ΠΑΠΑΔΟΠΟΥΛΟΣ ΑΕΒΕ Λεωφ. Αθηνών 92 Αθήνα T K 104 42 Ελλάδα Τηλ. (+30) 210 51 93 100 info@papadopoulos.com.gr

Hungary Husqvarna Magyarország Kft. Ezred u. 1-3 1044 Budapest Telefon: (+36) 1 251-4161 vevoszolgalat.husgvarna@ husavarna.hu

Iceland Ó. Johnson & Kaaber Tunguhalsi 1 110 Reykjavik ooi@oik.is

Ireland Husqvarna UK Ltd Preston Road Aycliffe Industrial Park Newton Aycliffe County Durham DL5 6UP info.gardena@ husqvarna.co.uk

Italy Husqvarna Italia S.p.A. Via Santa Vecchia 15 23868 VALMADRERA (LC) Phone: (+39) 0341.203.111 assistenza.italia@ it.husgvarna.com Janan

KAKUICHI Co. Ltd. Sumitomo Realty & Development Kojimachi BLDG., 8F 5-1 Nibanncyo Chiyoda-ku Tokyo 102-0084 Phone: (+81) 33 264 4721 m ishihara@kaku-ichi.co.jp

Kazakhstan LAMED Ltd.

155/1, Tazhibayevoi Str. 050060 Almaty IP Schmidt Abayavenue 3B 110 005 Kostanav

Korea Kyung Jin Trading CO.,LTD. 107-4, SunDuk Bld., YangJae-dong, Seocho-gu, Seoul, (zipcode: 137-891) Phone: (+82) (0)2 574-6300

Kyrgyzstan Alve Maki av, Moladava Guardir J 3 720014 Bishkek

I atvia Husqvarna Latvija SIA Ulbrokas 19A

LV-1021 Rīga info@gardena.lv Lithuania

UAB Husqvarna Lietuva Ateities pl. 77C LT-52104 Kaunas info@gardena.lt

Luxembourg Magasins Jules Neuberg 39, rue Jacques Stas Luxembourg-Gasperich 2549 Case Postale No. 12 Luxembourg 2010 Phone: (+352) 40 14 01 api@neuberg.lu

Mexico AFOSA

Av. Lopez Mateos Sur # 5019 Col. La Calma 45070 Zapopan, Jalisco Mexico Phone: (+52) 33 3818-3434 icornejo@afosa.com.mx

Moldova Convel S.R.L 290A Muncesti Str. 2002 Chisinau

Netherlands Husqvarna Nederland B.V. GARDENA Division Postbus 50131 1305 AC ALMERE Phone: (+31) 36 521 00 10 info@gardena.nl

Neth. Antilles Jonka Enterprises N.V. Sta. Rosa Weg 196 P.O. Box 8200 Curaçao Phone: (+599) 9 767 66 55 pgm@jonka.com

New Zealand Husqvarna New Zealand Ltd. PO Box 76-437 Manukau City 2241 Phone: (+64) (0) 9 9202410 support.nz@husqvarna.co.nz

Norway Husqvarna Norge AS Gardena Division Trøskenveien 36 1708 Sarpsborg info@gardena.no

Peru Husqvarna Perú S.A. Jr. Ramón Cárcamo 710 Lima 1 Tel: (+51) 13320400 ext. 416 juan.remuzgo@ husqvarna.com

Poland Husqvarna Poland Spółka z o.o. ul. Wysockiego 15 b 03-371 Warszawa Phone: (+48) 22 330 96 00 gardena@husqvarna.com.pl

Portugal Husqvarna Portugal, SA

Lagoa - Albarraque 2635 - 595 Rio de Mouro Tel.: (+351) 21 922 85 30 Fax : (+351) 21 922 85 36 info@gardena.pt

Romania Madex International Srl Soseaua Odaii 117-123, RO 013603 București, S1 Phone: (+40) 21 352.76.03 madex@ines.ro

Russia / Россия

ООО "Хускварна" 141400, Московская обл., г Химки улица Ленинградская. владение 39, стр.6 Бизнес Центр "Химки Бизнес Парк", помещение ОВ02_04 http://www.gardena.ru

Serbia Domel d.o.o.

Autoput za Novi Sad bb 11273 Belgrade Phone: (+381) 118 48 88 12 miroslav.jejina@domel.rs

Singapore Hy-Ray PRIVATE LIMITED 40 Jalan Pemimpin #02-08 Tat Ann Building Singapore 577185 Phone: (+65) 6253 2277 shiying@hyray.com.sg

Slovak Republic Husqvarna Česko s.r.o. Türkova 2319/5b 14900 Praha 4 - Chodov

Bezplatná infolinka: 800 154 044 servis@sk.husgvarna.com Slovenia

Husqvarna Austria GmbH Industriezeile 36 4010 L inz Tel.: (+43) 732 77 01 01-485 service.gardena@ husqvarnagroup.com

South Africa Husqvarna South Africa (Pty) Ltd Postnet Suite 250 Private Bag X6, Cascades, 3202 South Africa Phone: (+27) 33 846 9700

info@gardena.co.za Spain Husqvarna España S.A. Calle de Rivas nº 10 28052 Madrid Phone: (+34) 91 708 05 00 atencioncliente@gardena.es

Suriname Aarofix n.v. Verlengde Hogestraat #22 Phone: (+597) 472426 agrofix@sr.net Pobox : 2006 Paramaribo Suriname – South America

Sweden Husovarna AB Gardena Division S-561 82 Huskvarna gardenaorder@husgvarna.se

Switzerland / Schweiz Husqvarna Schweiz AG Consumer Products Industriestrasse 10 5506 Mägenwil Phone: (+41) (0) 62 887 37 90 info@gardena.ch

Turkey Dost Bahce Dis Ticaret Mümessillik A.Ş Yunus Mah. Adil Sok. No:3 Ic Kapi No: 1 Kartal

34873 Istanbul Phone: (+90) 216 38 93 939 info@dostbahce.com.tr

Ukraine/Україна ТОВ «Хускварна Україна» вул. Васильківська, 34, офіс 204-г 03022, м. Київ Тел. (+38) 044 498 39 02 info@gardena.ua

Uruguay

Entre Ríos 1083 CP 11800 Montevideo - Uruguay Tel: (+598) 22 03 18 44 info@felisa.com.uy

Venezuela

Corporación Casa y Jardín C.A. Av. Caroní, Edif. Trezmen, PB. Colinas de Bello Monte. 1050 Caracas Tlf: (+58) 212 992 33 22 info@casaviardin.net.ve

9852-28.960.01/0719 © GARDENA

Manufacturing GmbH D-89070 Ulm http://www.gardena.com